

TERRA METALLICS

UNIQUE STYLING AND MODERN DESIGN



THE ALLURING STYLE OF METALS IN TWO MODERN,
INTRIGUING COLORS OFFERED IN BOTH A MATTE AND GLOSS FINISH

SCS CERTIFIED, 55% RECYCLED GLASS AND MADE IN THE USA

QUALIFIES FOR LEED® (LEADERSHIP IN ENERGY & ENVIRONMENTAL DESIGN) CREDITS

RECOMMENDED FOR FLOOR AND WALL APPLICATIONS

EXCELLENT DURABILITY AND EASY TO CLEAN SURFACE

OUTSTANDING STAIN AND WEAR RESISTANCE PROPERTIES

COORDINATING TRIM AND BEAUTIFUL DECOS FOR FLOOR AND WALL APPLICATIONS

TERRA GREEN

CERAMICS, INCORPORATED

COLORS AVAILABLE

- Bronze
- Pewter

FINISHES AVAILABLE

- Gloss
- Matte

SIZES AVAILABLE

- 4" x 4"
- 3" x 6"

TRIM

- 4" x 4" Bullnose
- 4" x 4" Bullnose Corner
- 2" x 6" Crown Molding




DECOS

- 4" x 4" Checkerboard
- 4" x 4" Spheres
- 4" x 4" TerraJewel Frame with Glass Inserts
- 2" x 2" Sunburst
- 2" x 2" Chamomile
- 2" x 6" Checkerboard Liner
- 1" x 8" Rope Liner



Bronze Matte



Bronze Gloss



Pewter Matte



Pewter Gloss


Decos




2" x 2" Gloss Sunburst



2" x 2" Gloss Chamomile



4" x 4" Gloss Checkerboard



4" x 4" Gloss Spheres



4" x 4" Gloss TerraJewel frame with glass inserts

Trim*



Gloss 1" x 8" Rope Liner

Molding also available

NOTE: Variation in shade, color, texture and size are inherent in ceramic tile. Always make final color selection after viewing several samples.

TERRA METALLICS

UNIQUE STYLING AND MODERN DESIGN

PERFORMANCE DATA

DESCRIPTION	TEST METHOD	ANSI A-137.1	TEST RESULTS
Water Absorption	ASTM C373	≤ 5.0%	< 3.0%
Breaking Strength	ASTM C648	Avg. ≥ 250 lbs.	Passed
Bond Strength	ASTM C482	Avg. > 50 psi	Passed
Coefficient of Friction	ASTM C1028	≥ 0.60* (wet & dry)	Passed
Frost Resistance	ASTM C1026	Glaze shows no crazing & body shows no sign of disintegration	Passed
Chemical Resistance	ASTM C650	None	Passed
Hardness	Mohs' Scale	None	8
Abrasion Resistance	ASTM C1027	None	Class IV
Crazing	ASTM C424		Passed

*ADA Recommendation. Matte finish only.
The manufacturer recommends a 3/8" nominal grout joint.



Terra Green Ceramics has been manufacturing recycled glass ceramic tile for more than 30 years. You could say we were the first, and you would be correct. Yes, the first recycled content ceramic tiles on the market, and SCS-certified for 55% pre-consumer content.

We start with blended raw materials consisting mostly of recycled glass, clays, sand and feldspar, which is extruded to thickness and cut to size. The tile is then time-loaded into the kiln for firing. Terra Green uses a single, fast-fire process using natural gas in both the dryers and the kiln.

In-house recycling involves two catch conveyors and a throw-back conveyor which accumulate material and send it back for recycling. In addition, we use a glaze re-claimer at the spray line which separates the glaze from the water, allows clean water to run back through the system, and the residual glaze to turn to powder for proper disposal, not into waste water.

We are based in Richmond, IN, in the heartland of America, and operate an energy-efficient plant run by a employees who are good at what they do, and very proud of the products they produce.

